

# **Document Number Generator** 2.0

## **User Guide**

Copyright ©2008-2020 BoostSolutions Co., Ltd. All rights reserved.

All materials contained in this publication are protected by Copyright and no part of this publication may be reproduced, modified, displayed, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of BoostSolutions.

Our web site: http://www.boostsolutions.com

\_

## Content

1.	Intro	oduction		
2. Installation			4	
	2.1	Product Files	4	
	2.2	Software Requirements	5	
	2.3	Installation	7	
	2.4	Upgrade	8	
	2.5	Uninstallation	9	
	2.6	Command_Line Installation	9	
	2.7	Feature Activation1	1	
3.	How	to use Document Number Generator1	2	
	3.1	Access Document Number Generator1	2	
	3.2	Add Document Numbering Scheme1	2	
	3.3	Manage Schemes1	5	
4.	Trou	oubleshooting & Support1		
A	Appendix A: License Management			

## 1. Introduction

BoostSolutions Document Number Generator can be used to uniquely identify and classify any document. A document numbering scheme needs to be set up in one document library first; once a document comes into that library, the specific field will then be replaced by a generated value according to the document numbering scheme.

This user guide will guide you to install and configure Document Number Generator on your SharePoint.

For latest version of this copy or other user guides, please visit our document center:

http://www.boostsolutions.com/download-documentation.html

## 2. Installation

## 2.1 Product Files

After you download and unzip the Document Number Generator zip file from <u>www.boostsolutions.com</u>, you will find the following files:

Path	Descriptions
Setup.exe	A program that installs and deploys the WSP solution packages to the SharePoint farm.
EULA.rtf	The product End-User-License-Agreement.
Document Number Generator_V2_User Guide.pdf	User guide for Document Number Generator in PDF format.
Library\2.0\Setup.exe	The product installer for .Net Framework 2.0.
Library\2.0\Setup.exe.config	A file containing the configuration information for the installer.
Library\4.0\Setup.exe	The product installer for .Net Framework 4.0.
Library\4.0\Setup.exe.config	A file containing the configuration information for the installer.
Library\6.0\Setup.exe	The product installer for .Net Framework 4.6.
Library\6.0\Setup.exe.config	A file containing the configuration information for the installer.
Solutions\Foundtion\ BoostSolutions.FoundationSetup14.1.wsp	A SharePoint solution package containing Foundation files and resources for SharePoint 2010 or SharePoint Foundation 2010.
Solutions\Foundtion\ BoostSolutions.FoundationSetup15.1.wsp	A SharePoint solution package containing Foundation files and resources for SharePoint 2013 or SharePoint Foundation 2013.
Solutions\Foundtion\ BoostSolutions.FoundationSetup16.1.wsp	A SharePoint solution package containing Foundation files and resources for SharePoint 2016 or SharePoint 2019.

Solutions\Foundtion\Install.config	A file containing the configuration information for the installer.
Solutions\Classifier.AutoNumber\ BoostSolutions.DocumentNumberGenerator14.2.wsp	A SharePoint solution package containing Document Number Generator files and resources for SharePoint 2010 or SharePoint Foundation 2010.
Solutions\Classifier.AutoNumber\ BoostSolutions.DocumentNumberGenerator15.2.wsp	A SharePoint solution package containing Document Number Generator files and resources for SharePoint 2013 or SharePoint Foundation 2013.
Solutions\Classifier.AutoNumber\ BoostSolutions.DocumentNumberGenerator16.2.wsp	A SharePoint solution package containing Document Number Generator files and resources for SharePoint 2016 or SharePoint 2019.
Solutions\Classifier.AutoNumber\Install.config	A file containing the configuration information for the installer.
Solutions\Classifier.Basic\ BoostSolutions.SharePointClassifier.Platform14.2.wsp	A SharePoint solution package containing product fundamental files and resources for SharePoint 2010 or SharePoint Foundation 2010.
Solutions\Classifier.Basic\ BoostSolutions.SharePointClassifier.Platform15.2.wsp	A SharePoint solution package containing product fundamental files and resources for SharePoint 2013 or SharePoint Foundation 2013.
Solutions\Classifier.Basic\ BoostSolutions.SharePointClassifier.Platform16.2.wsp	A SharePoint solution package containing product fundamental files and resources for SharePoint 2016 or SharePoint 2019.
Solutions\Classifier.Basic\Install.config	A file containing the configuration information for the installer.

## 2.2 Software Requirements

Before you install Document Number Generator, ensure your system meets the following requirements:

#### SharePoint 2019

Operating System	Windows Server 2016 Standard or Datacenter
Operating System	Windows Server 2019 Standard or Datacenter

\_\_\_\_

Server	Microsoft SharePoint Server 2019
<b>D</b>	Microsoft Internet Explorer 11 or above Microsoft Edge
Browser	Mozilla Firefox Google Chrome

#### SharePoint 2016

Operating System	Microsoft Windows Server 2012 Standard or Datacenter X64 Microsoft Windows Server 2016 Standard or Datacenter
Server	Microsoft SharePoint Server 2016 Microsoft .NET Framework 4.6
Browser	Microsoft Internet Explorer 10 or above Microsoft Edge Mozilla Firefox Google Chrome

#### SharePoint 2013

Operating System	Microsoft Windows Server 2012 Standard or Datacenter X64 Microsoft Windows Server 2008 R2 SP1
Server	Microsoft SharePoint Foundation 2013 or Microsoft SharePoint Server 2013 Microsoft .NET Framework 4.5
Browser	Microsoft Internet Explorer 8 or above Microsoft Edge Mozilla Firefox Google Chrome

#### SharePoint 2010

Operating System	Microsoft Windows Server 2008 x64 Microsoft Windows Server 2008 R2
Server	Microsoft SharePoint Foundation 2010 or Microsoft SharePoint Server 2010 Microsoft SharePoint Foundation 2010 SP1 or Microsoft SharePoint Server 2010 SP1 Microsoft .NET Framework 3.5

	Microsoft Internet Explorer 7 or above
Browser	Mozilla Firefox
	Google Chrome

## 2.3 Installation

Follow these steps to install Document Number Generator on your SharePoint servers.

#### Installation Preconditions

Before you start installing the product, please make sure these services are started on your SharePoint servers: **SharePoint Administration** and **SharePoint Timer Service**.

9	Services		_ □	×
File Action View	/ Help			
	Q 🛃 🛐 🕨 🖬 🕪			
Services (Local)	Name	Status	Startup Type	^
	Server	Running	Automatic	
	SharePoint Administration	Running	Automatic	
	SharePoint Insights		Disabled	
SharePoint Search Host Controller		Running	Automatic	
SharePoint Server Search 16		Running	Manual	
SharePoint Timer Service			Automatic	
SharePoint Tracing Service		Running	Automatic	_
🛸 SharePoint User Code Host		Running	Automatic	-
	SharePoint VSS Writer		Manual	Ξ
Shell Hardware Detection		Running	Automatic	
Smart Card			Disabled	
	Smart Card Device Enumeration Service	Running	Manual (Trig	
	Smart Card Removal Policy		Manual	
	SNMP Trap		Manual	~
	$\setminus$ Extended $\lambda$ Standard /			
-				

Document Number Generator must be run on one front-end Web server in the SharePoint farm where **Microsoft SharePoint Foundation Web Application services** are running. Check **Central Administration**  $\rightarrow$  **System Settings** for a list of servers running this service.

#### **Required Permissions**

To perform this procedure, you must have specific permissions and rights.

Member of the local server's Administrators group.

Member of the Farm Administrators group.

#### To install Document Number Generator on SharePoint server.

- 1. Download the zip file (\*.zip) of the product of your choice from the BoostSolutions website, then extract the file.
- 2. Open the created folder and run the **Setup.exe** file.

*Note* If you cannot run the setup file, please right click the **Setup.exe** file and choose Run as administrator.

- 3. A system check is performed to verify if your machine meets all the requirements for installing the product. After the system check is finished, click **Next**.
- 4. Review and accept the End-User License Agreement and click Next.
- 5. In the Web Application Deployment Targets, select the web applications you are going to install and click **Next**.

*Note* If you select **Automatically activate features**, the product features will be activated in the target site collection during the installation process. If you want to manually activate the product feature later, uncheck this box.

- 6. Upon completion of the installation, details are displayed showing which web applications you product has been installed to.
- 7. Click **Close** to finish the installation.

## 2.4 Upgrade

Download the latest version of our product and run the Setup.exe file.

In the Program Maintenance window, select Upgrade and click Next.

Note: if you have installed Classifier 1.0 on your SharePoint servers, to upgrade to Document Number Generator 2.0 or above, you need to:

Download the new version of Classifier (2.0 or above), and upgrade the product.

Or,

Remove Classifier 1.0 from your SharePoint servers, and install Document Number Generator 2.0 or above.

## 2.5 Uninstallation

If you want to uninstall the product, double-click the Setup.exe file.

In the **Repair or Remove** window, select **Remove** and click **Next**. Then the application will be removed.

## 2.6 Command Line Installation

The following instructions are for installing the solution files for Document Number Generator in **SharePoint 2016** by using the SharePoint STSADM command line tool.

#### **Required permissions**

To use STSADM, you must be a member of the local Administrators group on the server.

#### To install Document Number Generator to SharePoint servers.

If you have installed BoostSolutions products before, please skip the steps of Foundation installation.

- 1. Extract the files from the product zip pack to a folder on one SharePoint server.
- 2. Open a command prompt and make sure your path is set with the SharePoint bin directory.
  - SharePoint 2010

C:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\14\BIN

#### • SharePoint 2013

C:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\15\BIN

• SharePoint 2016

C:\Program Files\Common Files\Microsoft Shared\Web Server Extensions\16\BIN

3. Add the solution files to SharePoint in the STSADM command line tool.

stsadm -o addsolution -filename <full path>BoostSolutions. DocumentNumberGenerator16.2.wsp stsadm -o addsolution -filename <full path>BoostSolutions.SharePointClassifier.Platform16.2.wsp stsadm -o addsolution -filename <full path>BoostSolutions.FoundationSetup16.1.wsp

4. Deploy the added solution with the following command:

stsadm -o deploysolution -name BoostSolutions.DocumentNumberGenerator16.2.wsp allowgacdeployment –url [virtual server url] –immediate

stsadm -o deploysolution -name BoostSolutions.SharePointClassifier.Platform16.2.wsp -

allowgacdeployment -url [virtual server url] -immediate

stsadm -o deploysolution -name BoostSolutions.FoundationSetup16.1.wsp -allowgacdeployment – url [virtual server url] –immediate

5. Wait for the deployment to complete. Check the final status of the deployment with this command:

stsadm -o displaysolution -name BoostSolutions.DocumentNumberGenerator16.2.wsp stsadm -o displaysolution -name BoostSolutions.SharePointClassifier.Platform16.2.wsp stsadm -o displaysolution -name BoostSolutions.FoundationSetup16.1.wsp

The result should contain a <Deployed> parameter for which the value is TRUE.

6. In the STSADM tool, activate the features.

stsadm -o activatefeature -name SharePointBoost.ListManagement –url [site collection url] –force stsadm -o activatefeature -name SharePointBoost.ListManagement.AutoNumber –url [site collection url] –force

#### To remove Document Number Generator from SharePoint servers.

1. Removal is initiated with the following command:

stsadm -o retractsolution -name BoostSolutions.DocumentNumberGenerator16.2.wsp -immediate -url [virtual server url]

stsadm -o retractsolution -name BoostSolutions.SharePointClassifier.Platform16.2.wsp -immediate -url [virtual server url]

2. Wait for the removal to finish. To check the final status of the removal you can use the following command:

stsadm -o displaysolution -name BoostSolutions.DocumentNumberGenerator16.2.wsp

stsadm -o displaysolution -name BoostSolutions.SharePointClassifier.Platform16.2.wsp

The result should contain the <Deployed> parameter for which the value is FALSE and the <LastOperationResult> parameter with the RetractionSucceeded value.

3. Remove the solution from the SharePoint solutions storage:

stsadm -o deletesolution -name BoostSolutions.DocumentNumberGenerator16.2.wsp stsadm -o deletesolution –name BoostSolutions.SharePointClassifier.Platform16.2.wsp

#### To remove BoostSolutions Foundation from SharePoint servers.

The BoostSolutions Foundation is mainly designed to provide a centralized interface to manage licenses for all BoostSolutions software from within SharePoint Central Administration. If are still using BoostSolutions product on your SharePoint server, please do not remove Foundation from the servers.

1. Removal is initiated with the following command:

stsadm -o retractsolution -name BoostSolutions.FoundationSetup16.1.wsp –immediate –url [virtual server url]

2. Wait for the removal to finish. To check the final status of the removal you can use the following command:

stsadm -o displaysolution -name BoostSolutions.FoundationSetup16.1.wsp

The result should contain the <Deployed> parameter for which the value is FALSE and the <LastOperationResult> parameter with the RetractionSucceeded value.

3. Remove the solution from the SharePoint solutions storage:

stsadm -o deletesolution -name BoostSolutions.FoundationSetup16.1.wsp

## 2.7 Feature Activation

By default, the application's features are automatically activated once the product is installed. You can also activate the product feature manually.

To activate product feature, you must be a site collection administrator.

- 1. Click Settings 🔯 and then click Site Settings.
- 2. Under Site Collection Administration click Site collection features.
- 3. Find the application feature and click **Activate**. After a feature is activated, the Status column lists the feature as **Active**.



## 3. How to use Document Number Generator

### 3.1 Access Document Number Generator

Enter the **Document Library Settings** page and click the **Document Number Generator Settings** link under the **General Settings** tab.

General Settings

- List name, description and navigation
- Versioning settings
- Advanced settings
- Validation settings
- Column default value settings
- Document Number Generator Settings (Powered by BoostSolutions)
- Audience targeting settings
- Rating settings

#### Click Add New Scheme.

Click Add New Scheme to add a new document numbering scheme.

Whenever a scheme is created, it will be displayed under its respective content type. Use icon buttons on each line to manage schemes.

🖶 Add New Scheme

## 3.2 Add Document Numbering Scheme

Click **Add New Scheme** to add a new document numbering scheme. You will see a new dialog window.

Scheme Name: Enter a name for this scheme.

## Edit Document Numbering Scheme

Scheme Name *	
Enter a name for this scheme.	DOC Naming
Content Type * Specify which document type in this document library should use the scheme.	Select a content type: Document Which field should use the scheme: Name

**Content Type**: Specify which field should use this scheme, you need to select content type first to determine the specific field.

All content types attached in the document library can be selected.

Content Type *			
Specify which document type in	Select a content type:		
this document library should use the scheme.	Document Sales Doc Which field should use the scheme:		
	Name 🗸		

Select one field to apply the scheme, only single line of text column is supported.

Which field should use the scheme:

Name	N
Title	1 and 1

#### Note:

1. Name is a specific column and cannot contain these characters:  $\langle / : * ? " < \rangle |$ .

If you insert SharePoint columns in the formula and apply it to a Name column with these characters, then the new name cannot be generated.

2. Multiple schemes cannot be applied to one column in one Content Type.

**Formula**: In this section you can use **Add element** to add a combination of variables and separators and use **Remove element** to remove them.

Formula *	mula *							
Use Add element to add a		[Reported by]_[Category]_[Ver.]_[Modified]						
combination of variable	and	Reported by	$\mathbf{\vee}$	$\sim$	Category	$\checkmark$		
element to remove it.	ve	Ver.		~	Modified			
		ାଙ୍କ Add elemen	t		× Remove	element		
Columns	Almost all Single line Group and You can al	SharePoint colun of text, Choice, N Managed Metac so insert the follc	nns car Numbe data. owing S	n be er, Ci Shar	inserted in a fo urrency, Date ar ePoint metadat	ormula, including: nd Time, People or a in a formula:		
	[Document ID Value], [Content Type], [Version], etc.							
Functions	Document functions in [Today]: To [Now]: The [Year]: The [Parent Fol [Parent Lib located. [Document [Original Fi	Number Genera n a formula. oday's date. current date and current year. der Name]: The f rary Name]: The t Type]: docx, pdf ile Name]: The or	tor allo d time. folder library f, etc. riginal	nam nam	you to insert the e where the do ne where the do name.	e following cument is located. ocument is		
Customized	Custom Te You can se characters and a mess	xt: lect Custom Text are detected, the sage will appear t	t and e e backo to indi	nter grou cate	anything you w nd color of this that there are e	vant. If any invalid field will change errors.		
Separators	When you separator t The connec the <b>Name</b>	add multiple electro co conjoin these e ctors include: - column.)	ments elemer / \ (1	in a nts. The /	formula, you ca ′ \ separators ca	an specify the annot be used in		

Date Format: In this section you can specify which date format you want to use in the formula.

Date Format		-
Specify a date format.	(Default SharePoint Format) yyyy-mm [2012-10] mm-yyyy [10-2012]	2
Regenerate Specify if numbers are regenerated when documents are updated.	mm-dd [10-16] dd-mm [16-10] MMM yyyy [Oct 2012] yyyy MMM [2012 Oct] MMM dd [Oct 16] dd MMM [16 Oct] MMMM yyyy [October 2012] yyyy MMMM [2012 October] mm-dd-yyyy [10-16-2012] MMM dd yyyy [Oct 16 2012] MMM-dd-yyyy [Oct-16-2012] dd/mm/yy [16/10/12] dd-mm-yyyy [16-10-2012] yyyy-mm-dd [2012-10-16] yyyy/mm/dd [2012/10/16] d MMMM yyyy [10 October 2012] yyyy-MMMM-dd [2012-October-16]	ever document l in) OK Cancel

#### Note:

- 1. To avoid invalid characters, yyyy/mm/dd and dd/mm/yy formats should not be specified for the Name column.
- 2. This option is useful only when you add at least one [Date and Time] type column in the Formula.

**Regenerate:** This option determines whether you want to regenerate the document numbering scheme when the specific document is edited, saved or checked in. By default, this option is disabled.

#### Regenerate

Specify if numbers are regenerated when documents are updated. Regenerate document number (whenever document properties are edited, saved and checked in)

**Note:** When this option is enabled, the column valued user entered in the SharePoint item edit form will be overwritten automatically.

## 3.3 Manage Schemes

Once a document numbering scheme is successfully created, the specific scheme will be shown under its respective content type.

Click Add New Scheme to add a new document numbering scheme.

Whenever a scheme is created, it will be displayed under its respective content type. Use icon buttons on each line to manage schemes.

Document (1 scheme for this Content Type)

Scheme Name	Used For Field	Formula	Modified	Modified By	Edit	Delete	Apply
DOC Naming	Name	[Reported by]_[Category]_[Ver.]_[Modified]	9/24/2019 2:52 PM	System Account		$\times$	$\bigcirc$
A 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1							
Sales Doc (1)	scheme for th	is Content Type)					
Scheme Name	scheme for th Used For Fie	is Content Type) Id Formula	Modified	Modified By	Edi	t Delet	е Арр

Use the icon  $\overline{\mathbb{P}}$  to edit the scheme.

Use the icon  $\times$  to delete the scheme.

Use the icon it o apply this scheme to all documents stored in the current document library.

**Note:** This action is dangerous because the value of a specific field for **ALL** documents will be overwritten.

Message	from webpage	$\times$
?	This will overwrite the Name field with specific scheme for all items, do you want to continue?	
	OK Cancel	

Click **OK** to confirm and continue.

There will be an icon that shows the scheme is currently running. Once it is done, it will display an icon indicating the results.

After scheme configured, the unique number will be assigned to the incoming documents as follows.

## Marketing Docs

Ð	New	🚹 Upload 🛛 🥩 Sync	0	Share More 🗸				
All C	ocum	Find a file		Q				
~	$\Box$	Name		Modified	Modified By	Reported by	Category	Ver.
	pdf	Annie Walker_C_2_09-24-2019	•••	9/24/2019 3:10 PM	System Account	Annie Walker	С	2.0
	pdf	Brad Pitt_A_3_09-24-2019	•••	9/24/2019 3:11 PM	System Account	Brad Pitt	А	3.0
	pdf	Henry Lee_D_2_09-24-2019	•••	9/24/2019 3:12 PM	System Account	Henry Lee	D	2.0
	pdf	Peter Lee_A_1_09-24-2019	•••	9/24/2019 3:07 PM	System Account	Peter Lee	А	1.0
	pdf	Peter Lee_B_1_09-24-2019	•••	9/24/2019 3:09 PM	System Account	Peter Lee	В	1.0

## 4. Troubleshooting & Support

#### **Troubleshooting FAQ:**

http://www.boostsolutions.com/general-fag.html#Show=ChildTitle9

#### **Contact Info:**

Product & Licensing Inquires: <a href="mailto:sales@boostsolutions.com">sales@boostsolutions.com</a>

Technical Support (Basic): <a href="mailto:support@boostsolutions.com">support@boostsolutions.com</a>

Request a New Product or Feature: <u>feature request@boostsolutions.com</u>

#### Live chat:

http://www.boostsolutions.com/support/chat/livezilla.php?intgroup=U3VwcG9ydA==&reset=true

#### **Appendix A: License Management**

You can use Document Number Generator without entering any license code for a period of 30 days from when you first use it.

To use the product after expiration, you will need to purchase a license and register the product.

#### **Finding License Information**

- 1. Navigate to the **BoostSolutions Software Management** section in Central Administration. Then, click **License Management Center** link.
- 2. Click Download License Information, choose a license type and download the information (Server Code, Farm ID or Site Collection ID).

Download the license type in	nformation and send to sales@boostsolutions.com t	o get license.
Choose a license type		
Server License		
Server Code:	8fa4fcbbeab9475d8b8f10d2c7b27e1e9822 75d49c683442a828de45bdd	61612
O Farm License		
Farm ID:	{8fa4fcbb-eab9-475d-8b8f-10d2c7b27e1e	}
Number of Users:	43 user(s)	
O Site Collection License		
Site Collection ID: Site Collection:	Select a site collection	
	Download	Close

In order for BoostSolutions to create a license for you, you need to send us your SharePoint environment identifier (Note: different license types need different information). A server license needs a server code; a Farm license needs a farm ID; and a site collection license needs a site collection ID.

3. Send the above information to us (<u>sales@boostsolutions.com</u>) to generate a license code.

### License Registration

- 1. When you receive a product license code, enter the **License Management Center** page.
- 2. Click **Register** on the license page and a **Register or Update license** window will open.

		te the product.
Upload a license	e code file	
1		Browse
		1

3. Upload the license file or enter the license code and click **Register**. You will get confirmation that your license has been validated.

Page	21

6	Registered Successfully
	▶ The license was verified successfully.
	Thank you for choosing BoostSolutions.
	If you encounter any problems or would like to suggest a product requirement, please
	contact support@boostsolutions.com
	Close

For more details on license management, see the **BoostSolutions Foundation**.